

Wireline

View flat at a comfortable arm's length



Existing View

View flat at a comfortable arm's length


OS reference:	149160 931470	Horizontal field of view:	90° (cylindrical projection)	Camera:	Canon EOS 5D MkIII
Eye Level:	35m AOD	Principal distance:	812.5mm	Lens:	50mm (Canon EF50mm f1.8)
Direction of view:	280°	Paper size:	841 x 297 mm	Camera height:	1.5m AGL
Distance to Development:	8.33km	Correct printed image size:	820 x 260 mm	Date and time:	22/10/2024 12:43



Figure: 5.24b

Viewpoint 18: Cumulative Viewpoint B6 Knock, Point

Lewis Hub (AC Substation and HVDC Converter Station)



Wireline

View flat at a comfortable arm's length



Photomontage

View flat at a comfortable arm's length

OS reference:	149160 931470	Horizontal field of view:	53.5° (planar projection)	Camera:	Canon EOS 5D MkIII
Eye Level:	35m AOD	Principal distance:	812.5mm	Lens:	50mm (Canon EF50mm f1.8)
Direction of view:	280°	Paper size:	841 x 297 mm	Camera height:	1.5m AGL
Distance to Development:	8.33km	Correct printed image size:	820 x 260 mm	Date and time:	22/10/2024 12:43



Figure: 5.24d

Viewpoint 18: Cumulative Viewpoint B6 Knock, Point

Lewis Hub (AC Substation and HVDC Converter Station)