

Figure: 5.19a
Viewpoint 13: Route Receptor Ro2 A859 at Creed Business Park

Lewis Hub (AC Substation and HVDC Converter Station)



OS reference:	139591 931497	Horizontal field of view:	90° (cylindrical projection)
Eye Level:	61m AOD	Principal distance:	812.5mm
Direction of view:	68°	Paper size:	841 x 297 mm
Distance to Development:	0.69km	Correct printed image size:	820 x 260 mm



Existing View

View flat at a comfortable arm's length

OS reference:	139591 931497	Horizontal field of view:	90° (cylindrical projection)	Camera:	Canon EOS 5D MkIII
Eye Level:	61m AOD	Principal distance:	812.5mm	Lens:	50mm (Canon EF50mm f1.8)
Direction of view:	68°	Paper size:	841 x 297 mm	Camera height:	1.5m AGL
Distance to Development:	0.69km	Correct printed image size:	820 x 260 mm	Date and time:	06/09/2024 09:08





Figure: 5.19b

Viewpoint 13: Route Receptor Ro2 A859 at Creed Business Park

Lewis Hub (AC Substation and HVDC Converter Station)



Wireline

View flat at a comfortable arm's length

Figure: 5.19c
Viewpoint 13: Route Receptor Ro2 A859 at Creed Business Park
Lewis Hub (AC Substation and HVDC Converter Station)



OS reference:	139591 931497	Horizontal field of view:	53.5° (planar projection)
Eye Level:	61m AOD	Principal distance:	812.5mm
Direction of view:	68°	Paper size:	841 x 297 mm
Distance to Development:	0.69km	Correct printed image size:	820 x 260 mm



Photomontage

View flat at a comfortable arm's length

OS reference:	139591 931497	Horizontal field of view:	53.5° (planar projection)	Camera:	Canon EOS 5D MkIII
Eye Level:	61m AOD	Principal distance:	812.5mm	Lens:	50mm (Canon EF50mm f1.8)
Direction of view:	68°	Paper size:	841 x 297 mm	Camera height:	1.5m AGL
Distance to Development:	0.69km	Correct printed image size:	820 x 260 mm	Date and time:	06/09/2024 09:08




Figure: 5.19d

Viewpoint 13: Route Receptor Ro2 A859 at Creed Business Park

Lewis Hub (AC Substation and HVDC Converter Station)